

Olympic Plant Species' Photographs
5/17/2020

Susan McDougall

| Family | Species | Common Name |
|----------------|-------------------------------------------------------|-------------------------------|
| Adoxaceae | <i>Sambucus racemosa</i> var. <i>arborescens</i> | Red elderberry |
| Alismataceae | <i>Alisma triviale</i> | Northern water-plantain |
| Amaranthaceae | <i>Atriplex dioica</i> | Saline saltbrush |
| Amaryllidaceae | <i>Allium cernuum</i> | Nodding onion |
| Amaryllidaceae | <i>Allium crenulatum</i> | Olympic onion |
| Apiaceae | <i>Angelica genuflexa</i> | Kneeling angelica |
| Apiaceae | <i>Angelica hendersonii</i> | Woolly angelica |
| Apiaceae | <i>Heracleum maximum</i> | Cow-parsnip |
| Apiaceae | <i>Ligusticum apiifolium</i> | Celery-leaf wild lovage |
| Apiaceae | <i>Lomatium martindalei</i> var. <i>flavum</i> | Cascade desertparsley |
| Apiaceae | <i>Lomatium utriculatum</i> | Spring gold |
| Apiaceae | <i>Oenanthe sarmentosa</i> | American Water-parsley |
| Apiaceae | <i>Osmorrhiza berteroii</i> | Sweet cicily |
| Apiaceae | <i>Osmorrhiza occidentalis</i> | Western sweet-cicily |
| Apiaceae | <i>Sanicula crassicaulis</i> var. <i>crassicaulis</i> | Pacific sanicle |
| Apiaceae | <i>Sanicula graveolens</i> | Sierran black-snakeroot |
| Apocynaceae | <i>Apocynum androsaemifolium</i> | Spreading dogbane |
| Araceae | <i>Lysichiton americanus</i> | Skunk Cabbage |
| Araliaceae | <i>Oplopanax horridus</i> | Devil's club |
| Asparagaceae | <i>Maianthemum dilatatum</i> | Wild lily-of-the-valley |
| Asparagaceae | <i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> | Feathery False Solomon's seal |
| Asparagaceae | <i>Maianthemum stellatum</i> | Star-flowered Solomon's seal |
| Aspleniaceae | <i>Asplenium trichomanes</i> ssp. <i>trichomanes</i> | Maidenhair spleenwort |
| Asteraceae | <i>Achillea millefolium</i> | Yarrow |
| Asteraceae | <i>Adenocaulon bicolor</i> | trailplant |
| Asteraceae | <i>Agoseris aurantiaca</i> var. <i>aurantiaca</i> | Orange agoseris |
| Asteraceae | <i>Agoseris glauca</i> var. <i>dasycephala</i> | Field agoseris |
| Asteraceae | <i>Agoseris glauca</i> var. <i>glauca</i> | Pale agoseris |
| Asteraceae | <i>Agoseris monticola</i> | Pale agoseris |
| Asteraceae | <i>Ambrosia chamissonis</i> | Silver beachweed |
| Asteraceae | <i>Anaphalis margaritacea</i> | Pearly everlasting |
| Asteraceae | <i>Antennaria howellii</i> ssp. <i>howellii</i> | Howell's pussytoes |
| Asteraceae | <i>Antennaria lanata</i> | Woolly pussytoes |

| | | |
|---------------|------------------------------------------------------|--------------------------|
| Asteraceae | <i>Antennaria rosea</i> ssp. <i>rosea</i> | Rosy pussytoes |
| Asteraceae | <i>Arnica gracilis</i> | Slender arnica |
| Asteraceae | <i>Arnica latifolia</i> | Broad leaved arnica |
| Asteraceae | <i>Arnica mollis</i> | Hairy Arnica |
| Asteraceae | <i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i> | Western mugwort |
| Asteraceae | <i>Artemisia norvegica</i> ssp. <i>saxatilis</i> | Mountain sagewort |
| Asteraceae | <i>Artemisia suksdorfiana</i> | Suksdorf's sagewort |
| Asteraceae | <i>Artemisia tilesii</i> | Cascade wormwood |
| Asteraceae | <i>Cirsium edule</i> var. <i>macounii</i> | Macoun's thistle |
| Asteraceae | <i>Erigeron compositus</i> | Dwarf mountain fleabane |
| Asteraceae | <i>Erigeron glacialis</i> var. <i>glacialis</i> | Peregrine fleabane |
| Asteraceae | <i>Eriophyllum lanatum</i> var. <i>lanatum</i> | Common wooly sunflower |
| Asteraceae | <i>Grindelia integrifolia</i> | Puget Sound gumweed |
| Asteraceae | <i>Hieracium triste</i> | Alpine hawkweed |
| Asteraceae | <i>Hieracium albiflorum</i> | White hawkweed |
| Asteraceae | <i>Jaumea carnosa</i> | Marsh jaumea |
| Asteraceae | <i>Luina hypoleuca</i> | Littleleaf luina |
| Asteraceae | <i>Madia sativa</i> | Coast tarweed |
| Asteraceae | <i>Nabalus alata</i> | Western rattlesnake root |
| Asteraceae | <i>Nothocalais alpestris</i> | Alpine lake agoseris |
| Asteraceae | <i>Petasites frigidus</i> var. <i>palmatus</i> | Western Coltsfoot |
| Asteraceae | <i>Solidago lepida</i> var. <i>salebrosa</i> | Rough Canada Goldenrod |
| Asteraceae | <i>Symphiothrichum foliaceum</i> var. <i>canbyi</i> | Canby's aster |
| Asteraceae | <i>Symphiothrichum subspicatum</i> | Douglas' aster |
| Athyriaceae | <i>Athyrium filix-femina</i> var. <i>cyclosorum</i> | Lady Fern |
| Berberidaceae | <i>Achlys californica</i> | Deer's-foot |
| Berberidaceae | <i>Berberis nervosa</i> | Oregon-grape |
| Betulaceae | <i>Alnus rubra</i> | Red alder |
| Betulaceae | <i>Alnus viridis</i> ssp. <i>sinuata</i> | Slide alder |
| Blechnaceae | <i>Blechnum spicant</i> | Deer fern |
| Boraginaceae | <i>Plagiobothrys scouleri</i> | Scouler's popcorn flower |
| Brassicaceae | <i>Arabis eschscholtziana</i> | Pacific coast rockcress |
| Brassicaceae | <i>Barbarea orthoceras</i> | Yellow Rocket |
| Brassicaceae | <i>Boechera stricta</i> | Drummond's rockcress |
| Brassicaceae | <i>Cakile edentula</i> ssp. <i>edentula</i> | American skyrocket |
| Brassicaceae | <i>Cardamine angulata</i> | Angled bittercress |
| Brassicaceae | <i>Cardamine nuttallii</i> | Nuttall's toothwort |
| Brassicaceae | <i>Cardamine occidentalis</i> | Western bittercress |
| Brassicaceae | <i>Cardamine pensylvanica</i> | Pennsylvania bittercress |
| Brassicaceae | <i>Draba lonchocarpa</i> | Lance-fruit draba |
| Brassicaceae | <i>Erysimum arenicola</i> | Sand-dwelling wallflower |
| Brassicaceae | <i>Lepidium virginicum</i> ssp. <i>menziesii</i> | Coastal peppergrass |
| Campanulaceae | <i>Campanula piperi</i> | Olympic bellflower |

| | | |
|------------------|-----------------------------------------------------|-------------------------|
| Campanulaceae | <i>Campanula rotundifolia</i> | Bluebell bellflower |
| Campanulaceae | <i>Campanula scouleri</i> | Scouler's bellflower |
| Caprifoliaceae | <i>Lonicera ciliosa</i> | Orange honeysuckle |
| Caprifoliaceae | <i>Lonicera involucrata</i> var. <i>involucrata</i> | Twinberry honeysuckle |
| Caprifoliaceae | <i>Symporicarpos albus</i> | Snowberry |
| Caryophyllaceae | <i>Cerastium arvense</i> ssp. <i>stricta</i> | Field chickweed |
| Caryophyllaceae | <i>Eremogone capillaris</i> var. <i>americana</i> | Fescue sandwort |
| Caryophyllaceae | <i>Honckenya peploides</i> ssp. <i>major</i> | Sea purslane |
| Caryophyllaceae | <i>Minuartia rubella</i> | Boreal stitchwort |
| Caryophyllaceae | <i>Moehringia macrophylla</i> | Large-leaf sandwort |
| Caryophyllaceae | <i>Silene douglasii</i> var. <i>douglasii</i> | Douglas's silene |
| Caryophyllaceae | <i>Silene parryi</i> | Parry's silene |
| Celastraceae | <i>Paxistima myrsinites</i> | Oregon boxleaf |
| Convolvulaceae | <i>Cuscuta pacifica</i> var. <i>pacifica</i> | Salt marsh dodder |
| Cornaceae | <i>Cornus nuttallii</i> | Pacific Dogwood |
| Cornaceae | <i>Cornus sericea</i> ssp. <i>occidentalis</i> | Creek dogwood |
| Cornaceae | <i>Cornus sericea</i> ssp. <i>sericea</i> | Red-osier dogwood |
| Cornaceae | <i>Cornus unalaschkensis</i> | Western bunchberry |
| Crassulaceae | <i>Sedum lanceolatum</i> | Lance-leaved stonecrop |
| Crassulaceae | <i>Sedum oreganum</i> var. <i>tenue</i> | Oregon stonecrop |
| Crassulaceae | <i>Sedum spathulifolium</i> | Broadleaf stonecrop |
| Crassulaceae | <i>Sedum stenopetalum</i> var. <i>monanthum</i> | Wormleaf stonecrop |
| Cupressaceae | <i>Chamaecyparis nootkatensis</i> | Alaska cedar |
| Cupressaceae | <i>Juniperus communis</i> var. <i>montana</i> | Common juniper |
| Cupressaceae | <i>Thuja plicata</i> | Western red-cedar |
| Cyperaceae | <i>Carex hoodii</i> | Hood's sedge |
| Cyperaceae | <i>Carex kelloggii</i> var. <i>kelloggii</i> | Kellogg's sedge |
| Cyperaceae | <i>Carex leporina</i> | Hare sedge |
| Cyperaceae | <i>Carex lyngbyei</i> | Lyngbyei's sedge |
| Cyperaceae | <i>Carex obnupta</i> | Slough sedge |
| Cyperaceae | <i>Carex phaeocephala</i> | Dunhead sedge |
| Cyperaceae | <i>Carex raynoldsii</i> | Raynold's sedge |
| Cyperaceae | <i>Carex spectabilis</i> | Showy sedge |
| Cyperaceae | <i>Carex spp.</i> | Unknown |
| Cyperaceae | <i>Eleocharis palustris</i> | Common spikerush |
| Cyperaceae | <i>Eriophorum chamissonis</i> | Chamisso's cotton-grass |
| Cyperaceae | <i>Scirpus microcarpus</i> | Panicled Bulrush |
| Cystopteridaceae | <i>Gymnocarpium disjunctum</i> | Pacific oak fern |
| Cystopteridaceae | <i>Gymnocarpium dryopteris</i> | Northern oak fern |
| Dennstaedtiaceae | <i>Pteridium aquilinum</i> var. <i>pubescens</i> | Bracken fern |
| Droseraceae | <i>Drosera rotundifolia</i> | Round-leaf sundew |
| Dryopteridaceae | <i>Dryopteris expansa</i> | Spreading wood fern |
| Dryopteridaceae | <i>Polystichum munitum</i> | Western sword fern |

| | | |
|-----------------|----------------------------------------------------|----------------------------|
| Equisetaceae | <i>Equisetum arvense</i> | Common horsetail |
| Equisetaceae | <i>Equisetum telmateia</i> ssp. <i>braunii</i> | Giant horsetail |
| Ericaceae | <i>Arbutus menziesii</i> | Pacific madrone |
| Ericaceae | <i>Arctostaphylos columbiana</i> | Bristly manzanita |
| Ericaceae | <i>Arctostaphylos uva-ursi</i> | Kinnikinnick |
| Ericaceae | <i>Chimaphila umbellata</i> | Common Prince's-pine |
| Ericaceae | <i>Empetrum nigrum</i> | Crowberry |
| Ericaceae | <i>Gaultheria shallon</i> | Salal |
| Ericaceae | <i>Kalmia microphylla</i> var. <i>occidentalis</i> | Western swamp laurel |
| Ericaceae | <i>Menziesia ferruginea</i> | False Huckleberry |
| Ericaceae | <i>Moneses uniflora</i> | Single delight |
| Ericaceae | <i>Monotropa uniflora</i> | One-flower Indian-Pipe |
| Ericaceae | <i>Orthilia secunda</i> | Sidebells |
| Ericaceae | <i>Phyllodoce empetrifolia</i> | Pink mountain-heath |
| Ericaceae | <i>Pterospora andromedea</i> | Woodland pinedrops |
| Ericaceae | <i>Pyrola asarifolia</i> ssp. <i>asarifolia</i> | Common pink wintergreen |
| Ericaceae | <i>Pyrola asarifolia</i> ssp. <i>bracteata</i> | Pink pyrola |
| Ericaceae | <i>Rhododendron albiflorum</i> | White rhododendron |
| Ericaceae | <i>Rhododendron groenlandicum</i> | Bog Labrador-tea |
| Ericaceae | <i>Rhododendron macrophyllum</i> | Pacific rhododendron |
| Ericaceae | <i>Vaccinium ovalifolium</i> | Oval-leaved huckleberry |
| Ericaceae | <i>Vaccinium ovatum</i> | Evergreen huckleberry |
| Ericaceae | <i>Vaccinium oxycoccus</i> | Small cranberry |
| Ericaceae | <i>Vaccinium parvifolium</i> | Red huckleberry |
| Fabaceae | <i>Hedysarum occidentale</i> | Western sweet-vetch |
| Fabaceae | <i>Lathrys japonicus</i> | Beach pea |
| Fabaceae | <i>Lathrys littoralis</i> | Silky beach pea |
| Fabaceae | <i>Lathrys nevadensis</i> var. <i>nevadensis</i> | Sierra pea |
| Fabaceae | <i>Lupinus arboreous</i> | Tree lupine |
| Fabaceae | <i>Lupinus latifolius</i> var. <i>latifolius</i> | Broadleaf lupine |
| Fabaceae | <i>Oxytropis campestris</i> var. <i>gracilis</i> | Yellow-flowered locoweed |
| Fabaceae | <i>Trifolium wormskjoldii</i> | Salt marsh clover |
| Gentianaceae | <i>Gentiana douglasiana</i> | Swamp Gentian |
| Gentianaceae | <i>Gentiana sceptrum</i> | King's gentian |
| Grossulariaceae | <i>Ribes acerifolium</i> | Maple-leaf currant |
| Grossulariaceae | <i>Ribes bracteosum</i> | Stink currant |
| Grossulariaceae | <i>Ribes lacustre</i> | Prickly currant |
| Grossulariaceae | <i>Ribes sanguineum</i> | Red currant |
| Hydrangeaceae | <i>Whipplea modesta</i> | Modesty |
| Hydrophyllaceae | <i>Hydrophyllum tenuipes</i> | Pacific waterleaf |
| Hydrophyllaceae | <i>Phacelia hastata</i> var. <i>leptosepala</i> | Narrow-sepal scorpion-weed |
| Hydrophyllaceae | <i>Phacelia sericea</i> var. <i>sericea</i> | Silky phacelia |
| Hydrophyllaceae | <i>Romanzoffia tracyi</i> | Tracy's mistmaiden |

| | | |
|------------------|----------------------------------------------------|-------------------------------|
| Hypericaceae | <i>Hypericum anagalloides</i> | Tinker's penny |
| Iridaceae | <i>Olsynium douglasii</i> var. <i>douglasii</i> | Grass widows |
| Iridaceae | <i>Sisyrinchium idahoense</i> var. <i>macounii</i> | Macoun's blue-eyed grass |
| Juncaceae | <i>Juncus articulatus</i> ssp. <i>articulatus</i> | Jointed rush |
| Juncaceae | <i>Juncus balticus</i> ssp. <i>ater</i> | Baltic rush |
| Juncaceae | <i>Juncus bolanderi</i> | Bolander's rush |
| Juncaceae | <i>Juncus effusus</i> ssp. <i>pacificus</i> | Pacific Rush |
| Juncaceae | <i>Juncus ensifolius</i> | Swordleaf Rush |
| Juncaceae | <i>Juncus parryi</i> | Parry's rush |
| Juncaceae | <i>Luzula comosa</i> var. <i>comosa</i> | Pale woodrush |
| Juncaceae | <i>Luzula comosa</i> var. <i>laxa</i> | Pacific woodrush |
| Juncaceae | <i>Luzula parviflora</i> | Small-flowered Woodrush |
| Juncaginaceae | <i>Triglochin maritima</i> | Seaside arrow-grass |
| Lamiaceae | <i>Clinopodium douglasii</i> | Oregon-tea |
| Lamiaceae | <i>Mentha arvensis</i> | American wild mint |
| Lamiaceae | <i>Nothochelone nemerosa</i> | Woodland-beardtongue |
| Lamiaceae | <i>Prunella vulgaris</i> var. <i>lanceolata</i> | Common self-heal |
| Lamiaceae | <i>Stachys cooleaye</i> | Coastal Hedgenettle |
| Lentibulariaceae | <i>Pinguicula vulgaris</i> var. <i>macrocera</i> | Common butterwort |
| Liliaceae | <i>Clintonia uniflora</i> | Queen's cup |
| Liliaceae | <i>Clintonia uniflora</i> | Queen's cup |
| Liliaceae | <i>Erythronium oreganum</i> ssp. <i>oreganum</i> | Giant fawn-lily |
| Liliaceae | <i>Erythronium quinaultense</i> | Olympic Fawn-lily |
| Liliaceae | <i>Erythronium revolutum</i> | Pink Fawn-lily |
| Liliaceae | <i>Fritillaria affinis</i> | Chocolate Lily |
| Liliaceae | <i>Lilium columbianum</i> | Columbian lily |
| Liliaceae | <i>Prosartes hookeri</i> | Hooker's fairybells |
| Liliaceae | <i>Prosartes smithii</i> | Either smithii or hookeri |
| Liliaceae | <i>Streptopus amplexifolius</i> | Clasping twisted-stalk |
| Liliaceae | <i>Streptopus lanceolatus</i> | Rosy twisted-stalk |
| Linnaeaceae | <i>Linnaea borealis</i> var. <i>longiflora</i> | Twinflower |
| Lycopodiaceae | <i>Lycopodium annotinum</i> | Stiff clubmoss |
| Lycopodiaceae | <i>Lycopodium clavatum</i> | Common clubmoss |
| Melanthiaceae | <i>Trillium ovatum</i> var. <i>ovatum</i> | Pacific trillium |
| Melanthiaceae | <i>Xerophyllum tenax</i> | Beargrass |
| Montiaceae | <i>Claytonia cordifolia</i> | Broadleaf springbeauty |
| Montiaceae | <i>Claytonia perfoliata</i> | Intermountain miner's lettuce |
| Montiaceae | <i>Claytonia sibirica</i> | Siberian springbeauty |
| Montiaceae | <i>Montia chamissoi</i> | Chamisso's montia |
| Montiaceae | <i>Montia dichotoma</i> | Dwarf montia |
| Montiaceae | <i>Montia parviflora</i> | Streambank springbeauty |
| Montiaceae | <i>Montia linearis</i> | Narrow-leaved montia |
| Onagraceae | <i>Chamaenerion angustifolium</i> | Fireweed |

| | | |
|----------------|------------------------------------------------------|------------------------------|
| Onagraceae | <i>Circaeа alpina</i> | Enchanter's Nightshade |
| Onagraceae | <i>Epilobium brachycarpum</i> | Autumn willow-herb |
| Onagraceae | <i>Epilobium ciliatum</i> ssp. <i>glandulosum</i> | Ciliate willowherb |
| Onagraceae | <i>Epilobium ciliatum</i> ssp. <i>watsonii</i> | Ciliate willowherb |
| Onagraceae | <i>Epilobium glaberrimum</i> ssp. <i>fastigiatum</i> | Smooth willowherb |
| Orchidaceae | <i>Calypso bulbosa</i> var. <i>occidentalis</i> | Calypso |
| Orchidaceae | <i>Corallorrhiza maculata</i> | Spotted coralroot |
| Orchidaceae | <i>Corallorrhiza mertensiana</i> | Pacific coralroot |
| Orchidaceae | <i>Goodyera oblongifolia</i> | Western rattlesnake plantain |
| Orchidaceae | <i>Neottia banksiana</i> | Northwestern twayblade |
| Orchidaceae | <i>Neottia cordata</i> | Heart-leaf twayblade |
| Orchidaceae | <i>Piperia unalascensis</i> | Alaska rein orchid |
| Orchidaceae | <i>Platanthera dilatata</i> var. <i>dilatata</i> | White bog orchid |
| Orchidaceae | <i>Platanthera dilatata</i> var. <i>leucostachys</i> | White bog orchid |
| Orchidaceae | <i>Platanthera stricta</i> | Slender bog orchid |
| Orobanchaceae | <i>Aphyllon fasciculatum</i> | Clustered broom -rape |
| Orobanchaceae | <i>Aphyllon purpureum</i> | Purple broomrape |
| Orobanchaceae | <i>Castilleja hispida</i> var. <i>hispida</i> | Harsh Paintbrush |
| Orobanchaceae | <i>Castilleja miniata</i> var. <i>dixonii</i> | Dixon's Paintbrush |
| Orobanchaceae | <i>Castilleja miniata</i> var. <i>miniata</i> | Scarlet paintbrush |
| Orobanchaceae | <i>Castilleja parviflora</i> var. <i>olympica</i> | Olympic paintbrush |
| Orobanchaceae | <i>Castilleja parviflora</i> var. <i>oreopola</i> | Magenta paintbrush |
| Orobanchaceae | <i>Orthocarpus imbricatus</i> | Mountain owl-clover |
| Orobanchaceae | <i>Pedicularis racemosa</i> var. <i>racemosa</i> | Sickletop lousewort |
| Orobanchaceae | <i>Triphysaria pusilla</i> | Dwarf owl-clover |
| Oxalidaceae | <i>Oxalis oregana</i> | Redwood-sorrel |
| Papaveraceae | <i>Corydalis scouleri</i> | Scouler's fumewort |
| Papaveraceae | <i>Dicentra formosa</i> ssp. <i>formosa</i> | Western bleeding heart |
| Phrymaceae | <i>Erythranthe alsinoides</i> | Chickweed monkey-flower |
| Phrymaceae | <i>Erythranthe guttata</i> | Yellow monkeyflower |
| Phrymaceae | <i>Erythranthe moschata</i> | Musk monkeyflower |
| Pinaceae | <i>Abies amabilis</i> | Pacific silver fir |
| Pinaceae | <i>Abies grandis</i> | Grand fir |
| Pinaceae | <i>Abies lasiocarpa</i> | Subalpine fir |
| Pinaceae | <i>Picea sitchensis</i> | Sitka spruce |
| Pinaceae | <i>Pinus contorta</i> var. <i>latifolia</i> | Lodgepole pine |
| Pinaceae | <i>Pinus monticola</i> | Western white pine |
| Pinaceae | <i>Pseudotsuga menziesii</i> | Douglas-Fir |
| Pinaceae | <i>Tsuga heterophylla</i> | Western hemlock |
| Plantaginaceae | <i>Collinsia parviflora</i> | Small-flower blue-eyed Mary |
| Plantaginaceae | <i>Limosella aquatica</i> | Awl-leaf mudwort |
| Plantaginaceae | <i>Nothochelone nemorosa</i> | Woodland-beardtongue |
| Plantaginaceae | <i>Penstemon davidsonii</i> var. <i>menziesii</i> | Davidson's beardtongue |

| | | |
|------------------|-------------------------------------------------|-------------------------------|
| Plantaginaceae | <i>Penstemon procerus</i> var. <i>tolmiei</i> | Small-flowered penstemon |
| Plantaginaceae | <i>Penstemon serrulatus</i> | Coast penstemon |
| Plantaginaceae | <i>Plantago major</i> | Common Plantain |
| Plantaginaceae | <i>Plantago maritima</i> | Sea plantain |
| Plantaginaceae | <i>Veronica americana</i> | American speedwell |
| Plantaginaceae | <i>Veronica cusickii</i> | Cusick's speedwell |
| Plumbaginaceae | <i>Armeria maritima</i> ssp. <i>californica</i> | Seathrift |
| Poaceae | <i>Agrostis exarata</i> | Spiked bent |
| Poaceae | <i>Agrostis oregonensis</i> | Oregon bent |
| Poaceae | <i>Agrostis scabra</i> | Rough bent |
| Poaceae | <i>Bromus sitchensis</i> var. <i>aleutensis</i> | Aleut brome |
| Poaceae | <i>Bromus sitchensis</i> var. <i>marginatus</i> | Large Mountain brome |
| Poaceae | <i>Calamagrostis</i> sp. | unknown |
| Poaceae | <i>Cinna latifolia</i> | Slender wood-reed |
| Poaceae | <i>Danthonia intermedia</i> | Timber oatgrass |
| Poaceae | <i>Elymus elymoides</i> ssp. <i>breviflorus</i> | Longleaf squirreltail |
| Poaceae | <i>Elymus violaceus</i> | Alaskan wheatgrass |
| Poaceae | <i>Festuca roemeri</i> | Roemer's fescue |
| Poaceae | <i>Festuca</i> spp. | unknown |
| Poaceae | <i>Festuca subulata</i> | Bearded fescue |
| Poaceae | <i>Glyceria elata</i> | Tall mannagrass |
| Poaceae | <i>Phleum alpinum</i> | Mountain timothy |
| Poaceae | <i>Pleuropogon refractus</i> | Nodding false semaphore grass |
| Poaceae | <i>Poa cusickii</i> ssp. <i>purpurascens</i> | Cusick's blugrass |
| Poaceae | <i>Poa glauca</i> ssp. <i>rupicola</i> | Timberline bluegrass |
| Poaceae | <i>Poa leptocoma</i> | Marsh blue grass |
| Poaceae | <i>Podagrostis aequivalvis</i> | Arctic bent |
| Poaceae | <i>Trisetum cernuum</i> | Tall trisetum |
| Polemoniaceae | <i>Collomia grandiflora</i> | Large-flowered collomia |
| Polemoniaceae | <i>Collomia heterophylla</i> | Varied-leaf collomia |
| Polemoniaceae | <i>Navarretia squarrosa</i> | Skunkweed |
| Polemoniaceae | <i>Phlox diffusa</i> | Spreading phlox |
| Polemoniaceae | <i>Polemonium californicum</i> | Low Jacob's-ladder |
| Polygonaceae | <i>Bistorta bistortoides</i> | Western bistort |
| Polygonaceae | <i>Eriogonum ovalifolium</i> var. <i>nivale</i> | Sierra cushion buckwheat |
| Polygonaceae | <i>Persicaria amphibia</i> | Water smartweed |
| Polypodiaceae | <i>Polypodium glycyrrhiza</i> | Licorice fern |
| Polypodiaceae | <i>Polypodium scouleri</i> | Leather polypody |
| Potamogetonaceae | <i>Potamogeton epihydrus</i> | Ribbon-leaved pondweed |
| Primulaceae | <i>Dodecatheon hendersonii</i> | Mosquito bills |
| Primulaceae | <i>Dodecatheon jeffreyi</i> | Tall Mountain Shooting Star |
| Primulaceae | <i>Douglasia laevigata</i> | Smooth douglasia |
| Primulaceae | <i>Lysimachia europaea</i> | Arctic starflower |

| | | |
|---------------|--------------------------------------------------------|--------------------------|
| Primulaceae | <i>Lysimachia latifolia</i> | Western starflower |
| Pteridaceae | <i>Adiantum aleuticum</i> | Maidenhair fern |
| Ranunculaceae | <i>Actaea rubra</i> | Western baneberry |
| Ranunculaceae | <i>Anemone multifida</i> var. <i>multifida</i> | Pacific anemone |
| Ranunculaceae | <i>Delphinium glareosum</i> | Olympic larkspur |
| Ranunculaceae | <i>Delphinium glaucum</i> | Pale larkspur |
| Ranunculaceae | <i>Myosurus minimus</i> | Tiny mousetail |
| Ranunculaceae | <i>Ranunculus eschscholtzii</i> var. <i>suksdorfii</i> | Suksdorf's buttercup |
| Ranunculaceae | <i>Ranunculus flammula</i> var. <i>reptans</i> | Creeping spearwort |
| Ranunculaceae | <i>Ranunculus uncinatus</i> | Little buttercup |
| Ranunculaceae | <i>Thalictrum occidentale</i> | Western meadow rue |
| Rhamnaceae | <i>Frangula purshiana</i> | Cascara |
| Rosaceae | <i>Amelanchier alnifolia</i> | Serviceberry |
| Rosaceae | <i>Aruncus dioicus</i> | Goat's-beard |
| Rosaceae | <i>Dasiphora fruticosa</i> | Shrubby cinquefoil |
| Rosaceae | <i>Fragaria vesca</i> ssp. <i>californica</i> | Pacific strawberry |
| Rosaceae | <i>Fragaria virginiana</i> ssp. <i>glaucia</i> | Blueleaf strawberry |
| Rosaceae | <i>Geum macrophyllum</i> | Bigleaf avens |
| Rosaceae | <i>Geum triflorum</i> var. <i>campanulatum</i> | Old man's whiskers |
| Rosaceae | <i>Holodiscus discolor</i> | Oceanspray |
| Rosaceae | <i>Luetkea pectinata</i> | Partridgefoot |
| Rosaceae | <i>Malus fusca</i> | Oregon crabapple |
| Rosaceae | <i>Oemleria cerasiformis</i> | Osoberry |
| Rosaceae | <i>Physocarpus capitatus</i> | Pacific ninebark |
| Rosaceae | <i>Potentilla anserina</i> ssp. <i>pacifica</i> | Pacific silverweed |
| Rosaceae | <i>Potentilla drummondii</i> | Drummond's cinquefoil |
| Rosaceae | <i>Potentilla flabellifolia</i> | High mountain cinquefoil |
| Rosaceae | <i>Potentilla gracilis</i> var. <i>gracilis</i> | Slender cinquefoil |
| Rosaceae | <i>Potentilla villosa</i> | Northern cinquefoil |
| Rosaceae | <i>Prunus x pugetensis</i> | Puget Sound cherry |
| Rosaceae | <i>Rosa gymnocarpa</i> | Baldhip rose |
| Rosaceae | <i>Rosa nutkana</i> ssp. <i>nutkana</i> | Nootka rose |
| Rosaceae | <i>Rubus lasiococcus</i> | Dwarf bramble |
| Rosaceae | <i>Rubus leucodermis</i> | Blackcap raspberry |
| Rosaceae | <i>Rubus nivalis</i> | Snow dwarf bramble |
| Rosaceae | <i>Rubus parviflorus</i> | Thimbleberry |
| Rosaceae | <i>Rubus pedatus</i> | Strawberry bramble |
| Rosaceae | <i>Rubus spectabilis</i> | Salmonberry |
| Rosaceae | <i>Rubus ursinus</i> | Wild blackberry |
| Rosaceae | <i>Sanguisorba officinalis</i> | Garden burnet |
| Rosaceae | <i>Spiraea douglasii</i> var. <i>menziesii</i> | Menzies' spiraea |
| Rubiaceae | <i>Galium triflorum</i> | Fragrant bedstraw |
| Salicaceae | <i>Populus trichocarpa</i> | Black cottonwood |

| | | |
|------------------|-----------------------------------------------------|-------------------------|
| Salicaceae | <i>Salix hookeriana</i> | Hooker's willow |
| Salicaceae | <i>Salix lasiandra</i> | Pacific willow |
| Salicaceae | <i>Salix scouleri</i> | Scouler's willow |
| Salicaceae | <i>Salix sitchensis</i> | Sitka willow |
| Sapindaceae | <i>Acer circinatum</i> | Vine maple |
| Sapindaceae | <i>Acer glabrum</i> var. <i>douglasii</i> | Douglas maple |
| Sapindaceae | <i>Acer macrophyllum</i> | Bigleaf maple |
| Saxifragaceae | <i>Boykinia intermedia</i> | Greater boykinia |
| Saxifragaceae | <i>Chrysosplenium glechomaefolium</i> | Golden Carpet |
| Saxifragaceae | <i>Elmera racemosa</i> | Yellow coralbells |
| Saxifragaceae | <i>Heuchera glabra</i> | Alpine alumroot |
| Saxifragaceae | <i>Heuchera micrantha</i> var. <i>diversifolia</i> | Small-flowered alumroot |
| Saxifragaceae | <i>Heuchera micrantha</i> var. <i>diversifolia</i> | Crevice alumroot |
| Saxifragaceae | <i>Ozomelis trifida</i> | Three-toothed mitrewort |
| Saxifragaceae | <i>Pectiantia ovalis</i> | Coastal mitrewort |
| Saxifragaceae | <i>Saxifraga cespitosa</i> | Tufted saxifrage |
| Saxifragaceae | <i>Saxifraga mertensiana</i> | Merten's saxifrage |
| Saxifragaceae | <i>Tellima grandiflora</i> | Fragrant fringecup |
| Saxifragaceae | <i>Tiarella trifoliata</i> | Three-leaf foamflower |
| Saxifragaceae | <i>Tolmiea menziesii</i> | Piggy-back plant |
| Scrophulariaceae | <i>Scrophularia californica</i> | California figwort |
| Selaginellaceae | <i>Selaginella oregana</i> | Oregon spikemoss |
| Taxaceae | <i>Taxus brevifolia</i> | Western yew |
| Tofieldiaceae | <i>Triantha occidentalis</i> ssp. <i>brevistyla</i> | Western tofieldia |
| Typhaceae | <i>Sparganium angustifolium</i> | Narrow-leaved bur-reed |
| Typhaceae | <i>Sparganium emersum</i> | Simple-stemmed bur-reed |
| Typhaceae | <i>Typha latifolia</i> | Common cattail |
| Urticaceae | <i>Urtica dioica</i> | Stinging nettle |
| Valerianaceae | <i>Valeriana scouleri</i> | Scouler's valerian |
| Valerianaceae | <i>Valeriana sitchensis</i> | Sitka valerian |
| Violaceae | <i>Viola adunca</i> | Early blue violet |
| Violaceae | <i>Viola glabella</i> | Pioneer violet |
| Violaceae | <i>Viola orbiculata</i> | Round-leaved violet |
| Violaceae | <i>Viola sempervirens</i> | Evergreen violet |